

```
CREATE TABLE [dbo].[CardRevalHistory] (  
    [DKMAREfNo] [int] NULL ,  
    [DKMACHipNo] [varchar] (32) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,  
    [BatchNo] [int] NULL ,  
    [cardno] [int] NULL ,  
    [AuthName] [varchar] (25) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,  
    [AuthID] [varchar] (16) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,  
    [ReqCounter] [int] NULL ,  
    [CumCounter] [int] NULL ,  
    [revalDate] [datetime] NULL  
) ON [PRIMARY]  
GO
```

```
CREATE TABLE [dbo].[CardSurrender] (  
    [surrender_no] [int] NOT NULL ,  
    [card_chipno] [varchar] (32) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,  
    [auth_id] [varchar] (8) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,  
    [surrender_date] [datetime] NULL ,  
    [reason] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NULL  
) ON [PRIMARY]  
GO
```

```
CREATE TABLE [dbo].[Card_Balance] (  
    [cardType] [varchar] (4) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL ,  
    [cardBalance] [smallint] NULL  
) ON [PRIMARY]  
GO
```

```
CREATE TABLE [dbo].[DistCodes] (  
    [distCode] [varchar] (2) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL ,  
    [district] [varchar] (25) COLLATE SQL_Latin1_General_CP1_CI_AS NULL  
) ON [PRIMARY]  
GO
```

```
CREATE TABLE [dbo].[FKOCardInfo] (  
    [DKMAREfNo] [int] NOT NULL ,  
    [DKMACHipNo] [varchar] (32) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,  
    [BatchNo] [int] NULL ,  
    [cardno] [int] NULL ,  
    [CardType] [varchar] (4) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,  
    [ChipNo] [varchar] (32) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,
```

```
[distCode] [varchar] (2) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,
[AuthName] [varchar] (25) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,
[AuthID] [varchar] (8) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,
[designation] [varchar] (25) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,
[department] [varchar] (25) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,
[officeAttached] [varchar] (25) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,
[Personalizeddt] [datetime] NULL ,
[ReqCounter] [int] NULL ,
[CumCounter] [int] NULL ,
[revalDate] [datetime] NULL
```

```
) ON [PRIMARY]
```

```
GO
```

```
CREATE TABLE [dbo].[MICMinutia] (
```

```
    [auth_id] [varchar] (8) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL ,
    [minutia] [varbinary] (512) NULL ,
    [fpimage] [varbinary] (8000) NULL
```

```
) ON [PRIMARY]
```

```
GO
```

```
CREATE TABLE [dbo].[MIC_Upload] (
```

```
    [upload_id] [int] NOT NULL ,
    [IAID] [varchar] (8) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,
    [IAName] [varchar] (40) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,
    [IADesig] [varchar] (25) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,
    [IADept] [varchar] (25) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,
    [IAOffAtt] [varchar] (25) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,
    [IAChipNo] [varchar] (32) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,
    [uploadDate] [datetime] NULL
```

```
) ON [PRIMARY]
```

```
GO
```

```
CREATE TABLE [dbo].[MIC_Upload_Det] (
```

```
    [upload_id] [int] NOT NULL ,
    [RSBY_URN] [varchar] (17) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,
    [rsby_ChipNo] [varchar] (32) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL ,
    [rsby_issue_date] [char] (8) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
```

```
) ON [PRIMARY]
```

```
GO
```

```
CREATE TABLE [dbo].[StateCode] (
```

```
    [state_code] [char] (2) COLLATE SQL_Latin1_General_CP1_CI_AS NULL ,
    [runn_serial_num] [int] NULL
```

```
) ON [PRIMARY]
```

```
GO
```

```
CREATE TABLE [dbo].[card_Stock_Det] (
```

```
    [cardStockNo] [int] NOT NULL ,
```

```
    [cardType] [varchar] (4) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL ,
```

```
    [recDam] [char] (1) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL ,
```

```
    [noOfCards] [smallint] NULL ,
```

```
    [dateReceived] [datetime] NOT NULL
```

```
) ON [PRIMARY]
```

```
GO
```